

Barriers



CROWD BARRIER - STANDARD SINGLE UNIT

TC CWB-B

Material	Dimensions	Weight
Aluminum alloy EN AW-6082 T6	1035 x 1250 x 1185 (H) mm	40.3 kg

Connection kit included



CROWD BARRIER - VARIABLE CORNER

TC CWB-VC

Material	Dimensions	Weight
Aluminum alloy EN AW-6082 T6	1035 x 1250x1185 (H) mm	48 kg

Connection kit included



CROWD BARRIER - STANDARD HALF MODULE

TC CWB-BH

Material	Dimensions	Weight
Aluminum alloy EN AW-6082 T6	518 x 1250 x 1186 (H) mm	20.8 kg

Connection kit included



CROWD BARRIER - MULTICORE W/ GATE ACCESS

TC CWB-DC

Material	Dimensions	Weight
Aluminum alloy EN AW-6082 T6	1035 x 1250 x 1185 (H) mm	45 kg

Connection kit included



CROWD BARRIER – CABLE ACCESS MODUL

TC CWB-BC

Material	Dimensions	Weight
Aluminum alloy EN AW-6082 T6	1035 x 1250 x 1185 (H) mm	49.3 kg

Connection kit included



CROWD BARRIER - STANDARD STOCKING BASKET

TC CWB-V-CART

Material	Dimensions	Weight
Aluminum alloy EN AW-6082 T6	1360 x 1155 x 1272 (H) mm	59 kg



CROWD BARRIER – VARIO LIGHT MODULE

TC CWB-VL

Material	Dimensions	Weight
Aluminum alloy EN AW-6082 T6	1055 x 1145 mm	20 kg

Connection kit included



CROWD BARRIER – VARIO LIGHT WITH 15 CM MODULE

TC CWB-VLC

Material	Dimensions	Weight
Aluminum alloy EN AW-6082 T6	922 x 250 x 1186 (H) mm	19.1 kg

Connection kit included

Barriers



CROWD BARRIER – OUTSIDE CORNER 90° MODULE

TC CWB-OC90

Material	Dimensions	Weight
Aluminum alloy EN AW-6082 T6	968 x 1778 x 1186 (H) mm	30.4 kg

Connection kit included



CROWD BARRIER – INSIDE CORNER 30° MODULE

TC CWB-IC30

Material	Dimensions	Weight
Aluminum alloy EN AW-6082 T6	686 x 1250 x 1186 (H) mm	15.8 kg

Connection kit included



CROWD BARRIER – INSIDE CORNER 90° MODULE

TC CWB-IC90

Material	Dimensions	Weight
Aluminum alloy EN AW-6082 T6	884x1 775 x 1186 mm	27.5 kg


Connection kit included



CROWD BARRIER – SINGLE GATE ACCESS MODULE

TC CWB-SGA

Material	Dimensions	Weight
Aluminum alloy EN AW-6082 T6	1323 x 1100 x 1186 (H) mm	57.6 kg



CROWD BARRIER – TWO ENTRANCE CHECK POINT

(2)TC CWB-B; (4)TC CWB-90C; (2)TC CWB-SGA

Material

Aluminum alloy EN AW-6082 T6

Connection kit included



CROWD BARRIER – 90° COMPENSATOR

TC CWB-90C

Material

Aluminum alloy EN AW-6082 T6

Dimensions

425 x 141 x 1186 (H) mm

Weight

8.1 kg

Connection kit included



CROWD BARRIER - EMERGENCY GATE 115CM OPENING

TC CWB-EG

Material

Aluminum alloy EN AW-6082 T6

Dimensions

2070 x 1250 x 1186 mm

Weight

100.8 kg

Connection kit included



CROWD BARRIER – HEIGHT ADJUSTABLE ADAPTOR

TC CWB-LHA

Material

Aluminum alloy EN AW-6082 T6

Weight

4.3 kg